

11 REFERENCES

- Aghilinejad, M., Tavakolifard, N., Mortazavi, S. A., Kabir Mokamelkhah, E., Sotudehmanesh, A., & Mortazavi, S. A. (2015). The effect of physical and psychosocial occupational factors on the chronicity of low back pain in the workers of Iranian metal industry: a cohort study. *Medical Journal of the Islamic Republic of Iran*, 29, 242.
- Allegri, M., Montella, S., Salici, F., Valente, A., Marchesini, M., Compagnone, C., Fanelli, G. (2016). Mechanisms of low back pain: a guide for diagnosis and therapy. *F1000Research*, 5. <https://doi.org/10.12688/f1000research.8105.2>
- Amirdelfan, K., McRoberts, P., & Deer, T. R. (2014). The differential diagnosis of low back pain: a primer on the evolving paradigm. *Neuromodulation: Journal of the International Neuromodulation Society*, 17 Suppl 2, 11–17. <https://doi.org/10.1111/ner.12173>.
- Andersson, G. B. (1999). Epidemiological features of chronic low-back pain. *Lancet (London, England)*, 354(9178), 581–585. [https://doi.org/10.1016/S0140-6736\(99\)01312-4](https://doi.org/10.1016/S0140-6736(99)01312-4)
- Antunes, R. S., de Macedo, B. G., Amaral, T. da S., Gomes, H. de A., Pereira, L. S. M., & Rocha, F. L. (2013). Pain, kinesiophobia and quality of life in chronic low back pain and depression. *Acta Ortopedica Brasileira*, 21(1), 27–29. <https://doi.org/10.1590/ S1413-78522013000100005>
- Asmundson, G. J., & Norton, G. R. (1995). Anxiety sensitivity in patients with physically unexplained chronic back pain: a preliminary report. *Behaviour Research and Therapy*, 33(7), 771–777.
- Azizpour, Y., Delpisheh, A., Montazeri, Z., & Sayehmiri, K. (2017). Prevalence of low back pain in Iranian nurses: a systematic review and meta-analysis. *BMC Nursing*, 16, 50. <https://doi.org/10.1186/s12912-017-0243-1>
- Balagué, F., Ferrer, M., Rajmil, L., Pont Acuña, A., Pellisé, F., & Cedraschi, C. (2012). Assessing the association between low back pain, quality of life, and life events as reported by schoolchildren in a population-based study. *European Journal of Pediatrics*, 171(3), 507–514. <https://doi.org/10.1007/s00431-011-1596-1>

- Banerjee, S. K., Flink, I. L., & Morkin, E. (1976). Enzymatic properties of native and N-ethylmaleimide-modified cardiac myosin from normal and thyrotoxic rabbits. *Circulation Research*, 39(3), 319–326.
- Beck, A. T., Steer, R. A., Ball, R., & Ranieri, W. (1996). Comparison of Beck Depression Inventories -IA and -II in psychiatric outpatients. *Journal of Personality Assessment*, 67(3), 588–597. https://doi.org/10.1207/s15327752jpa6703_13
- Beck, A. T., Ward, C. H., Mendelson, M., Mock, J., & Erbaugh, J. (1961). An inventory for measuring depression. *Archives of General Psychiatry*, 4, 561–571.
- Berntson, G. G., Bigger, J. T., Eckberg, D. L., Grossman, P., Kaufmann, P. G., Malik, M., ... van der Molen, M. W. (1997). Heart rate variability: origins, methods, and interpretive caveats. *Psychophysiology*, 34(6), 623–648.
- Besen, E., Young, A. E., & Shaw, W. S. (2015). Returning to work following low back pain: towards a model of individual psychosocial factors. *Journal of Occupational Rehabilitation*, 25(1), 25–37. <https://doi.org/10.1007/s10926-014-9522-9>
- Bjerså, K., Stener Victorin, E., & Fagevik Olsén, M. (2012). Knowledge about complementary, alternative and integrative medicine (CAM) among registered health care providers in Swedish surgical care: a national survey among university hospitals. *BMC Complementary and Alternative Medicine*, 12, 42. <https://doi.org/10.1186/1472-6882-12-42>
- Boden, S. D., Davis, D. O., Dina, T. S., Patronas, N. J., & Wiesel, S. W. (1990). Abnormal magnetic-resonance scans of the lumbar spine in asymptomatic subjects. A prospective investigation. *The Journal of Bone and Joint Surgery. American Volume*, 72(3), 403–408.
- Bonica, J. J. (1979). The need of a taxonomy. *Pain*, 6(3), 247–248.
- Burdorf, A., & Sorock, G. (1997). Positive and negative evidence of risk factors for back disorders. *Scandinavian Journal of Work, Environment & Health*, 23(4), 243–256.
- Büsing, A., Ostermann, T., Lüdtke, R., & Michalsen, A. (2012). Effects of yoga interventions on pain and pain-associated disability: a meta-analysis. *The Journal of Pain: Official Journal of the American Pain Society*, 13(1), 1–9. <https://doi.org/10.1016/j.jpain.2011.10.001>

- Cairns, M. C., Foster, N. E., & Wright, C. (2006). Randomized controlled trial of specific spinal stabilization exercises and conventional physiotherapy for recurrent low back pain. *Spine*, 31(19), E670–E681. <https://doi.org/10.1097/01.brs.0000232787.71938.5d>
- Carmody, J., & Baer, R. A. (2008). Relationships between mindfulness practice and levels of mindfulness, medical and psychological symptoms and well-being in a mindfulness-based stress reduction program. *Journal of Behavioral Medicine*, 31(1), 23–33. <https://doi.org/10.1007/s10865-007-9130-7>
- Chan, C. W., Mok, N. W., & Yeung, E. W. (2011). Aerobic exercise training in addition to conventional physiotherapy for chronic low back pain: a randomized controlled trial. *Archives of Physical Medicine and Rehabilitation*, 92(10), 1681–1685. <https://doi.org/10.1016/j.apmr.2011.05.003>
- Chang, D. G., Holt, J. A., Sklar, M., & Groessl, E. J. (2016). Yoga as a treatment for chronic low back pain: A systematic review of the literature. *Journal of Orthopedics & Rheumatology*, 3(1), 1–8.
- Chatzitheodorou, D., Kabitsis, C., Malliou, P., & Mougios, V. (2007). A pilot study of the effects of high-intensity aerobic exercise versus passive interventions on pain, disability, psychological strain, and serum cortisol concentrations in people with chronic low back pain. *Physical Therapy*, 87(3), 304–312. <https://doi.org/10.2522/ptj.20060080>
- Chatzitheodorou, D., Mavromoustakos, S., & Milioti, S. (2008). The effect of exercise on adrenocortical responsiveness of patients with chronic low back pain, controlled for psychological strain. *Clinical Rehabilitation*, 22(4), 319–328. <https://doi.org/10.1177/0269215507079858>
- Chenot, J.-F., Becker, A., Leonhardt, C., Keller, S., Donner-Banzhoff, N., Baum, E., ... Kochen, M. M. (2007). Use of complementary alternative medicine for low back pain consulting in general practice: a cohort study. *BMC Complementary and Alternative Medicine*, 7, 42. <https://doi.org/10.1186/1472-6882-7-42>
- Chou, R. (2010). Low back pain (chronic). *BMJ Clinical Evidence*, 2010.
- Chou, R., Huffman, L. H., American Pain Society, & American College of Physicians. (2007a). Medications for acute and chronic low back pain: a review of the evidence for an American Pain Society/American College of Physicians clinical practice guideline. *Annals of Internal Medicine*, 147(7), 505–514.

- Chou, R., Huffman, L. H., American Pain Society, & American College of Physicians. (2007b). Nonpharmacologic therapies for acute and chronic low back pain: a review of the evidence for an American Pain Society/American College of Physicians clinical practice guideline. *Annals of Internal Medicine*, 147(7), 492–504.
- Chou, R., Qaseem, A., Snow, V., Casey, D., Cross, J. T., Shekelle, P., ... American Pain Society Low Back Pain Guidelines Panel. (2007). Diagnosis and treatment of low back pain: a joint clinical practice guideline from the American College of Physicians and the American Pain Society. *Annals of Internal Medicine*, 147(7), 478–491.
- Chuang, L.-H., Soares, M. O., Tilbrook, H., Cox, H., Hewitt, C. E., Aplin, J., ... Torgerson, D. J. (2012). A pragmatic multicentered randomized controlled trial of yoga for chronic low back pain: economic evaluation. *Spine*, 37(18), 1593–1601. <https://doi.org/10.1097/BRS.0b013e3182545937>
- Clays, E., De Bacquer, D., Leynen, F., Kornitzer, M., Kittel, F., & De Backer, G. (2007). The impact of psychosocial factors on low back pain: longitudinal results from the Belstress study. *Spine*, 32(2), 262–268. <https://doi.org/10.1097/01.brs.0000251884.94821.c0>
- Cohen, S., Kamarck, T., & Mermelstein, R. (1983). A global measure of perceived stress. *Journal of Health and Social Behavior*, 24(4), 385–396.
- Cougot, B., Petit, A., Paget, C., Roedlich, C., Fleury-Bahi, G., Fouquet, M., ... Tripodi, D. (2015). Chronic low back pain among French healthcare workers and prognostic factors of return to work (RTW): a non-randomized controlled trial. *Journal of Occupational Medicine and Toxicology (London, England)*, 10, 40. <https://doi.org/10.1186/s12995-015-0082-5>
- Cowen, V. S. (2010). Functional fitness improvements after a worksite-based yoga initiative. *Journal of Bodywork and Movement Therapies*, 14(1), 50–54. <https://doi.org/10.1016/j.jbmt.2009.02.006>
- Cox, H., Tilbrook, H., Aplin, J., Semlyen, A., Torgerson, D., Trewhela, A., & Watt, I. (2010). A randomised controlled trial of yoga for the treatment of chronic low back pain: results of a pilot study. *Complementary Therapies in Clinical Practice*, 16(4), 187–193. <https://doi.org/10.1016/j.ctcp.2010.05.007>

- Cramer, H., Lange, S., Klose, P., Paul, A., & Dobos, G. (2012). Yoga for breast cancer patients and survivors: a systematic review and meta-analysis. *BMC Cancer*, 12, 412. <https://doi.org/10.1186/1471-2407-12-412>
- de Castro, A. B., Cabrera, S. L., Gee, G. C., Fujishiro, K., & Tagalog, E. A. (2009). Occupational health and safety issues among nurses in the Philippines. *AAOHN Journal: Official Journal of the American Association of Occupational Health Nurses*, 57(4), 149–157.
- Delitto, A., George, S. Z., Van Dillen, L. R., Whitman, J. M., Sowa, G., Shekelle, P., ... Orthopaedic Section of the American Physical Therapy Association. (2012). Low back pain. *The Journal of Orthopaedic and Sports Physical Therapy*, 42(4), A1–A57. <https://doi.org/10.2519/jospt.2012.0301>
- Deyo, R. A., & Weinstein, J. N. (2001). Low back pain. *The New England Journal of Medicine*, 344(5), 363–370. <https://doi.org/10.1056/NEJM200102013440508>
- Dreisinger, T. E. (2014). Exercise in the management of chronic back pain. *The Ochsner Journal*, 14(1), 101–107.
- Dunn, K. M., & Croft, P. R. (2004). Epidemiology and natural history of low back pain. *Europa Medicophysica*, 40(1), 9–13.
- Ebnezar, J., Nagarathna, R., Yogitha, B., & Nagendra, H. R. (2012). Effect of integrated yoga therapy on pain, morning stiffness and anxiety in osteoarthritis of the knee joint: A randomized control study. *International Journal of Yoga*, 5(1), 28–36. <https://doi.org/10.4103/0973-6131.91708>
- Eisenberg, D. M., Buring, J. E., Hrbek, A. L., Davis, R. B., Connelly, M. T., Cherkin, D. C., ... Post, D. E. (2012). A model of integrative care for low-back pain. *Journal of Alternative and Complementary Medicine (New York, N.Y.)*, 18(4), 354–362. <https://doi.org/10.1089/acm.2011.0408>
- Eisenberg, D. M., Davis, R. B., Ettner, S. L., Appel, S., Wilkey, S., Van Rompay, M., & Kessler, R. C. (1998). Trends in alternative medicine use in the United States, 1990-1997: results of a follow-up national survey. *JAMA*, 280(18), 1569–1575.
- Eisenberg, D. M., Kessler, R. C., Foster, C., Norlock, F. E., Calkins, D. R., & Delbanco, T. L. (1993). Unconventional medicine in the United States. Prevalence, costs, and patterns of use. *The New England Journal of Medicine*, 328(4), 246–252. <https://doi.org/10.1056/NEJM199301283280406>

- Eisenberg, D. M., Kessler, R. C., Van Rompay, M. I., Kaptchuk, T. J., Wilkey, S. A., Appel, S., & Davis, R. B. (2001). Perceptions about complementary therapies relative to conventional therapies among adults who use both: results from a national survey. *Annals of Internal Medicine*, 135(5), 344–351.
- Ellegaard, H., & Pedersen, B. D. (2012). Stress is dominant in patients with depression and chronic low back pain. A qualitative study of psychotherapeutic interventions for patients with non-specific low back pain of 3-12 months' duration. *BMC Musculoskeletal Disorders*, 13, 166. <https://doi.org/10.1186/1471-2474-13-166>
- Evans, S., Seidman, L. C., Tsao, J. C., Lung, K. C., Zeltzer, L. K., & Naliboff, B. D. (2013). Heart rate variability as a biomarker for autonomic nervous system response differences between children with chronic pain and healthy control children. *Journal of Pain Research*, 6, 449–457. <https://doi.org/10.2147/JPR.S43849>
- Ferreira, P. H., Ferreira, M. L., Maher, C. G., Herbert, R. D., & Refshauge, K. (2006). Specific stabilisation exercise for spinal and pelvic pain: a systematic review. *The Australian Journal of Physiotherapy*, 52(2), 79–88.
- Feyer, A. M., Herbison, P., Williamson, A. M., de Silva, I., Mandryk, J., Hendrie, L., & Hely, M. C. (2000). The role of physical and psychological factors in occupational low back pain: a prospective cohort study. *Occupational and Environmental Medicine*, 57(2), 116–120.
- Freburger, J. K., Holmes, G. M., Agans, R. P., Jackman, A. M., Darter, J. D., Wallace, A. S., ... Carey, T. S. (2009a). The rising prevalence of chronic low back pain. *Archives of Internal Medicine*, 169(3), 251–258. <https://doi.org/10.1001/archinternmed.2008.543>
- Freburger, J. K., Holmes, G. M., Agans, R. P., Jackman, A. M., Darter, J. D., Wallace, A. S., ... Carey, T. S. (2009b). The rising prevalence of chronic low back pain. *Archives of Internal Medicine*, 169(3), 251–258. <https://doi.org/10.1001/archinternmed.2008.543>
- Fritz, J. M., George, S. Z., & Delitto, A. (2001). The role of fear-avoidance beliefs in acute low back pain: relationships with current and future disability and work status. *Pain*, 94(1), 7–15.

- Furlan, A. D., Yazdi, F., Tsartsadze, A., Gross, A., Van Tulder, M., Cherkin, D., ... Galipeau, J. (2010). Complementary and alternative therapies for back pain II. *Evidence Report/Technology Assessment*, (194), 1–764.
- Galantino, M. L., Bzdewka, T. M., Eissler-Russo, J. L., Holbrook, M. L., Mogck, E. P., Geigle, P., & Farrar, J. T. (2004). The impact of modified Hatha yoga on chronic low back pain: a pilot study. *Alternative Therapies in Health and Medicine*, 10(2), 56–59.
- Ganesan, S., Acharya, A. S., Chauhan, R., & Acharya, S. (2017). Prevalence and Risk Factors for Low Back Pain in 1,355 Young Adults: A Cross-Sectional Study. *Asian Spine Journal*, 11(4), 610–617. <https://doi.org/10.4184/asj.2017.11.4.610>
- Gangadhar, B. N., & Porandla, K. (2015). Yoga and mental health services. *Indian Journal of Psychiatry*, 57(4), 338–340. <https://doi.org/10.4103/0019-5545.171844>
- Ghaffari, M., Alipour, A., Farshad, A. A., Jensen, I., Josephson, M., & Vingard, E. (2008). Effect of psychosocial factors on low back pain in industrial workers. *Occupational Medicine (Oxford, England)*, 58(5), 341–347. <https://doi.org/10.1093/occmed/kqn006>
- Goldberg, D. S., & McGee, S. J. (2011). Pain as a global public health priority. *BMC Public Health*, 11, 770. <https://doi.org/10.1186/1471-2458-11-770>
- Goldby, L. J., Moore, A. P., Doust, J., & Trew, M. E. (2006). A randomized controlled trial investigating the efficiency of musculoskeletal physiotherapy on chronic low back disorder. *Spine*, 31(10), 1083–1093. <https://doi.org/10.1097/01.brs.0000216464.37504.64>
- Gordon, R., & Bloxham, S. (2016). A Systematic Review of the Effects of Exercise and Physical Activity on Non-Specific Chronic Low Back Pain. *Healthcare (Basel, Switzerland)*, 4(2). <https://doi.org/10.3390/healthcare4020022>
- Grandhe, R., Souzdalnitski, D., & Gritsenko, K. (2016a). New Chronic Pain Treatments in the Outpatient Setting: Review Article. *Current Pain and Headache Reports*, 20(5), 33. <https://doi.org/10.1007/s11916-016-0563-y>
- Grandhe, R., Souzdalnitski, D., & Gritsenko, K. (2016b). New Chronic Pain Treatments in the Outpatient Setting: Review Article. *Current Pain and Headache Reports*, 20(5), 33. <https://doi.org/10.1007/s11916-016-0563-y>
- Grazio, S., & Balen, D. (2011). Complementary and alternative treatment of musculoskeletal pain. *Acta Clinica Croatica*, 50(4), 513–530.

- Groessl, E. J., Weingart, K. R., Aschbacher, K., Pada, L., & Baxi, S. (2008). Yoga for veterans with chronic low-back pain. *Journal of Alternative and Complementary Medicine (New York, N.Y.)*, 14(9), 1123–1129. <https://doi.org/10.1089/acm.2008.0020>
- Gupta A. (2005) Ashtangsamgraha. Varanasi, UP: Chowkhamba Academy.
- Habibi, E., Pourabdian, S., Atabaki, A. K., & Hoseini, M. (2012). Evaluation of Work-related Psychosocial and Ergonomics Factors in Relation to Low Back Discomfort in Emergency Unit Nurses. *International Journal of Preventive Medicine*, 3(8), 564–568.
- Hafner, N. D., Milek, D. M., & Fikfak, M. D. (2018). Hospital Staff's Risk of Developing Musculoskeletal Disorders, Especially Low Back Pain. *Zdravstveno Varstvo*, 57(3), 133–139. <https://doi.org/10.2478/sjph-2018-0017>
- Hall, A. M., Kamper, S. J., Maher, C. G., Latimer, J., Ferreira, M. L., & Nicholas, M. K. (2011). Symptoms of depression and stress mediate the effect of pain on disability. *Pain*, 152(5), 1044–1051. <https://doi.org/10.1016/j.pain.2011.01.014>
- Harris, P., & Rees, R. (2000). The prevalence of complementary and alternative medicine use among the general population: a systematic review of the literature. *Complementary Therapies in Medicine*, 8(2), 88–96. <https://doi.org/10.1054/ctim.2000.0353>
- Hartfiel, N., Burton, C., Rycroft-Malone, J., Clarke, G., Havenhand, J., Khalsa, S. B., & Edwards, R. T. (2012). Yoga for reducing perceived stress and back pain at work. *Occupational Medicine (Oxford, England)*, 62(8), 606–612. <https://doi.org/10.1093/occmed/kqs168>
- Helfenstein Junior, M., Goldenfum, M. A., & Siena, C. (2010). Occupational low back pain. *Revista Da Associacao Medica Brasileira (1992)*, 56(5), 583–589.
- Herr, K. A., Mobily, P. R., & Smith, C. (1993). Depression and the experience of chronic back pain: a study of related variables and age differences. *The Clinical Journal of Pain*, 9(2), 104–114.
- Holtzman, S., & Beggs, R. T. (2013). Yoga for chronic low back pain: a meta-analysis of randomized controlled trials. *Pain Research & Management*, 18(5), 267–272.

- Houtman, I. L., Bongers, P. M., Smulders, P. G., & Kompier, M. A. (1994). Psychosocial stressors at work and musculoskeletal problems. *Scandinavian Journal of Work, Environment & Health*, 20(2), 139–145.
- Hoy, D., March, L., Brooks, P., Blyth, F., Woolf, A., Bain, C., ... Buchbinder, R. (2014). The global burden of low back pain: estimates from the Global Burden of Disease 2010 study. *Annals of the Rheumatic Diseases*, 73(6), 968–974. <https://doi.org/10.1136/annrheumdis-2013-204428>
- Hsu, C., Bluespruce, J., Sherman, K., & Cherkin, D. (2010). Unanticipated benefits of CAM therapies for back pain: an exploration of patient experiences. *Journal of Alternative and Complementary Medicine (New York, N.Y.)*, 16(2), 157–163. <https://doi.org/10.1089/acm.2009.0188>
- Huang, G. D., Feuerstein, M., & Sauter, S. L. (2002). Occupational stress and work-related upper extremity disorders: Concepts and models. *American Journal of Industrial Medicine*, 41(5), 298–314. <https://doi.org/10.1002/ajim.10045>
- Hyland, M. E. (2003). A brief guide to the selection of quality of life instrument. *Health and Quality of Life Outcomes*, 1, 24. <https://doi.org/10.1186/1477-7525-1-24>
- Hu, X.-Y., Chen, N.-N., Chai, Q.-Y., Yang, G.-Y., Trevelyan, E., Lorenc, A., Robinson, N. (2015). Integrative treatment for low back pain: An exploratory systematic review and meta-analysis of randomized controlled trials. *Chinese Journal of Integrative Medicine*. <https://doi.org/10.1007/s11655-015-2125-2>
- Innes, S. I. (2005). Psychosocial factors and their role in chronic pain: A brief review of development and current status. *Chiropractic & Osteopathy*, 13(1), 6. <https://doi.org/10.1186/1746-1340-13-6>
- Jensen, M. P., Karoly, P., & Braver, S. (1986). The measurement of clinical pain intensity: a comparison of six methods. *Pain*, 27(1), 117–126.
- Joshi, T. K., Menon, K. K., & Kishore, J. (2001). Musculoskeletal disorders in industrial workers of Delhi. *International Journal of Occupational and Environmental Health*, 7(3), 217–221. <https://doi.org/10.1179/107735201800339326>
- Juniper, M., Le, T. K., & Mladsi, D. (2009). The epidemiology, economic burden, and pharmacological treatment of chronic low back pain in France, Germany, Italy, Spain and the UK: a literature-based review. *Expert Opinion on Pharmacotherapy*, 10(16), 2581–2592. <https://doi.org/10.1517/14656560903304063>

- Kamper, S. J., Apeldoorn, A. T., Chiarotto, A., Smeets, R. J. E. M., Ostelo, R. W. J. G., Guzman, J., & van Tulder, M. W. (2014). Multidisciplinary biopsychosocial rehabilitation for chronic low back pain. *The Cochrane Database of Systematic Reviews*, (9), CD000963. <https://doi.org/10.1002/14651858.CD000963.pub3>
- Kanodia, A. K., Legedza, A. T. R., Davis, R. B., Eisenberg, D. M., & Phillips, R. S. (2010). Perceived benefit of Complementary and Alternative Medicine (CAM) for back pain: a national survey. *Journal of the American Board of Family Medicine: JABFM*, 23(3), 354–362. <https://doi.org/10.3122/jabfm.2010.03.080252>
- Kanta deva R.R. (1988) Shabda Kalpadruma. Delhi: Nag publishers.
- Katz, J. N. (2006). Lumbar disc disorders and low-back pain: socioeconomic factors and consequences. *The Journal of Bone and Joint Surgery. American Volume*, 88 Suppl 2, 21–24. <https://doi.org/10.2106/JBJS.E.01273>
- Khalsa, S. B. S., Shorter, S. M., Cope, S., Wyshak, G., & Sklar, E. (2009). Yoga ameliorates performance anxiety and mood disturbance in young professional musicians. *Applied Psychophysiology and Biofeedback*, 34(4), 279–289. <https://doi.org/10.1007/s10484-009-9103-4>
- Kim, T.-S., Pae, C.-U., Hong, C.-K., Kim, J.-J., Lee, C.-U., Lee, S.-J., ... Lee, C. (2006). Interrelationships among pain, disability, and psychological factors in young Korean conscripts with lumbar disc herniation. *Military Medicine*, 171(11), 1113–1116.
- Koes, B. W., van Tulder, M. W., & Thomas, S. (2006). Diagnosis and treatment of low back pain. *BMJ (Clinical Research Ed.)*, 332(7555), 1430–1434. <https://doi.org/10.1136/bmj.332.7555.1430>
- Kwon, M. A., Shim, W. S., Kim, M. H., Gwak, M. S., Hahm, T. S., Kim, G. S., ... Kim, T. H. (2006). A correlation between low back pain and associated factors: a study involving 772 patients who had undergone general physical examination. *Journal of Korean Medical Science*, 21(6), 1086–1091. <https://doi.org/10.3346/jkms.2006.21.6.1086>
- Lamé, I. E., Peters, M. L., Vlaeyen, J. W. S., Kleef, M. v., & Patijn, J. (2005). Quality of life in chronic pain is more associated with beliefs about pain, than with pain intensity. *European Journal of Pain (London, England)*, 9(1), 15–24. <https://doi.org/10.1016/j.ejpain.2004.02.006>

- Latimer, J., Maher, C. G., Refshauge, K., & Colaco, I. (1999). The reliability and validity of the Biering-Sorensen test in asymptomatic subjects and subjects reporting current or previous nonspecific low back pain. *Spine*, 24(20), 2085–2089; discussion 2090.
- Leboeuf-Yde, C., Lemeunier, N., Wedderkopp, N., & Kjaer, P. (2013). Evidence-based classification of low back pain in the general population: one-year data collected with SMS Track. *Chiropractic & Manual Therapies*, 21, 30. <https://doi.org/10.1186/2045-709X-21-30>
- Linton, S. J. (2000). A review of psychological risk factors in back and neck pain. *Spine*, 25(9), 1148–1156.
- Linton, S. J., & Ryberg, M. (2000). Do epidemiological results replicate? The prevalence and health-economic consequences of neck and back pain in the general population. *European Journal of Pain (London, England)*, 4(4), 347–354. <https://doi.org/10.1053/eujp.2000.0190>
- Louie, L. (2014). The effectiveness of yoga for depression: a critical literature review. *Issues in Mental Health Nursing*, 35(4), 265–276. <https://doi.org/10.3109/01612840.2013.874062>
- Madan, I., Reading, I., Palmer, K. T., & Coggon, D. (2008). Cultural differences in musculoskeletal symptoms and disability. *International Journal of Epidemiology*, 37(5), 1181–1189. <https://doi.org/10.1093/ije/dyn085>
- Maddux, R. E., Daukantaité, D., & Tellhed, U. (2018). The effects of yoga on stress and psychological health among employees: an 8- and 16-week intervention study. *Anxiety, Stress, and Coping*, 31(2), 121–134. <https://doi.org/10.1080/10615806.2017.1405261>
- Martin, B. I., Deyo, R. A., Mirza, S. K., Turner, J. A., Comstock, B. A., Hollingsworth, W., & Sullivan, S. D. (2008). Expenditures and health status among adults with back and neck problems. *JAMA*, 299(6), 656–664. <https://doi.org/10.1001/jama.299.6.656>
- Masharawi, Y., & Nadaf, N. (2013). The effect of non-weight bearing group-exercising on females with non-specific chronic low back pain: a randomized single blind controlled pilot study. *Journal of Back and Musculoskeletal Rehabilitation*, 26(4), 353–359. <https://doi.org/10.3233/BMR-130391>

- Maul, I., Läubli, T., Klipstein, A., & Krueger, H. (2003). Course of low back pain among nurses: a longitudinal study across eight years. *Occupational and Environmental Medicine*, 60(7), 497–503.
- Mayer, J., Mooney, V., & Dagenais, S. (2008). Evidence-informed management of chronic low back pain with lumbar extensor strengthening exercises. *The Spine Journal: Official Journal of the North American Spine Society*, 8(1), 96–113. <https://doi.org/10.1016/j.spinee.2007.09.008>
- Meyer, H. B., Katsman, A., Sones, A. C., Auerbach, D. E., Ames, D., & Rubin, R. T. (2012). Yoga as an ancillary treatment for neurological and psychiatric disorders: a review. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 24(2), 152–164. <https://doi.org/10.1176/appi.neuropsych.1104009>.
- Meucci, R. D., Fassa, A. G., & Faria, N. M. X. (2015). Prevalence of chronic low back pain: systematic review. *Revista De Saude Publica*, 49. <https://doi.org/10.1590/S0034-8910.2015049005874>
- Michalsen, A., Traitteur, H., Lüdtke, R., Brunnhuber, S., Meier, L., Jeitler, M., ... Kessler, C. (2012). Yoga for chronic neck pain: a pilot randomized controlled clinical trial. *The Journal of Pain: Official Journal of the American Pain Society*, 13(11), 1122–1130. <https://doi.org/10.1016/j.jpain.2012.08.004>
- Minkalis, A. L., & Vining, R. D. (2015). What is the pain source? A case report of a patient with low back pain and bilateral hip osteonecrosis. *The Journal of the Canadian Chiropractic Association*, 59(3), 300–310.
- Mishra B (1993) Bhavpraksha. Varanasi, UP: Chaukamba Sanskrit sansthan.
- Mitchell, T., O'Sullivan, P. B., Burnett, A. F., Straker, L., & Rudd, C. (2008). Low back pain characteristics from undergraduate student to working nurse in Australia: a cross-sectional survey. *International Journal of Nursing Studies*, 45(11), 1636–1644. <https://doi.org/10.1016/j.ijnurstu.2008.03.001>
- Mitchell, T., O'Sullivan, P. B., Burnett, A. F., Straker, L., & Smith, A. (2008). Regional differences in lumbar spinal posture and the influence of low back pain. *BMC Musculoskeletal Disorders*, 9, 152. <https://doi.org/10.1186/1471-2474-9-152>
- Moradi-Lakeh, M., Forouzanfar, M. H., Vollset, S. E., Bcheraoui, C. El, Daoud, F., Afshin, A., ... Mokdad, A. H. (2017). Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990-2013: findings from the Global Burden of

Disease Study 2013. *Annals of the Rheumatic Diseases*, 76(8), 1365–1373. <https://doi.org/10.1136/annrheumdis-2016-210146>

- Murthy H.C. (2013) Shrangadhar Samhit. Varanasi, UP: Chowkhamba Sanskrita Series.
- Nagarathna, R., & Nagendra, H. R. (1985). Yoga for bronchial asthma: a controlled study. *British Medical Journal (Clinical Research Ed.)*, 291(6502), 1077–1079.
- Narasimhan, L., Nagarathna, R., & Nagendra, H. (2011). Effect of integrated yogic practices on positive and negative emotions in healthy adults. *International Journal of Yoga*, 4(1), 13–19. <https://doi.org/10.4103/0973-6131.78174>
- Nidhi, R., Padmalatha, V., Nagarathna, R., & Ram, A. (2012). Effect of a yoga program on glucose metabolism and blood lipid levels in adolescent girls with polycystic ovary syndrome. *International Journal of Gynaecology and Obstetrics: The Official Organ of the International Federation of Gynaecology and Obstetrics*, 118(1), 37–41. <https://doi.org/10.1016/j.ijgo.2012.01.027>
- Okonta, N. R. (2012). Does yoga therapy reduce blood pressure in patients with hypertension?: an integrative review. *Holistic Nursing Practice*, 26(3), 137–141. <https://doi.org/10.1097/HNP.0b013e31824ef647>.
- Oliveira, V. C., Ferreira, M. L., Refshauge, K. M., Maher, C. G., Griffin, A. R., Hopper, J. L., & Ferreira, P. H. (2015). Risk factors for low back pain: insights from a novel case-control twin study. *The Spine Journal*, 15(1), 50–57. <https://doi.org/10.1016/j.spinee.2014.06.021>
- O’Sullivan, P. (2005). Diagnosis and classification of chronic low back pain disorders: maladaptive movement and motor control impairments as underlying mechanism. *Manual Therapy*, 10(4), 242–255. <https://doi.org/10.1016/j.math.2005.07.001>
- Palmer, K., Walker-Bone, K., Griffin, M. J., Syddall, H., Pannett, B., Coggon, D., & Cooper, C. (2001). Prevalence and occupational associations of neck pain in the British population. *Scandinavian Journal of Work, Environment & Health*, 27(1), 49–56. <https://doi.org/10.5271/sjweh.586>
- Patil, N. J., Nagarathna, R., Tekur, P., Patil, D. N., Nagendra, H. R., & Subramanya, P. (2015). Designing, validation, and feasibility of integrated yoga therapy module for chronic low back pain. *International Journal of Yoga*, 8(2), 103–108. <https://doi.org/10.4103/0973-6131.158470>

- Patil, N. J., Nagaratna, R., Garner, C., Raghuram, N. V., & Crisan, R. (2012). Effect of integrated Yoga on neurogenic bladder dysfunction in patients with multiple sclerosis-A prospective observational case series. *Complementary Therapies in Medicine*, 20(6), 424–430. <https://doi.org/10.1016/j.ctim.2012.08.003>
- Petering, R. C., & Webb, C. (2011). Treatment options for low back pain in athletes. *Sports Health*, 3(6), 550–555. <https://doi.org/10.1177/1941738111416446>
- Pillastrini, P., Gardenghi, I., Bonetti, F., Capra, F., Guccione, A., Mugnai, R., & Violante, F. S. (2012). An updated overview of clinical guidelines for chronic low back pain management in primary care. *Joint, Bone, Spine: Revue Du Rhumatisme*, 79(2), 176–185. <https://doi.org/10.1016/j.jbspin.2011.03.019>
- Posadzki, P., & Ernst, E. (2011). Yoga for low back pain: a systematic review of randomized clinical trials. *Clinical Rheumatology*, 30(9), 1257–1262. <https://doi.org/10.1007/s10067-011-1764-8>
- Post, M. W. M. (2014). Definitions of quality of life: what has happened and how to move on. *Topics in Spinal Cord Injury Rehabilitation*, 20(3), 167–180. <https://doi.org/10.1310/sci2003-167>
- Poulain, C., Kernéis, S., Rozenberg, S., Fautrel, B., Bourgeois, P., & Foltz, V. (2010). Long-term return to work after a functional restoration program for chronic low-back pain patients: a prospective study. *European Spine Journal: Official Publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*, 19(7), 1153–1161. <https://doi.org/10.1007/s00586-010-1361-6>
- Punnett, L., Prüss-Utün, A., Nelson, D. I., Fingerhut, M. A., Leigh, J., Tak, S., & Phillips, S. (2005). Estimating the global burden of low back pain attributable to combined occupational exposures. *American Journal of Industrial Medicine*, 48(6), 459–469. <https://doi.org/10.1002/ajim.20232>
- Punnett, L., & Wegman, D. H. (2004). Work-related musculoskeletal disorders: the epidemiologic evidence and the debate. *Journal of Electromyography and Kinesiology: Official Journal of the International Society of Electrophysiological Kinesiology*, 14(1), 13–23. <https://doi.org/10.1016/j.jelekin.2003.09.015>
- Raciborski, F., Gasik, R., & Kłak, A. (2016). Disorders of the spine. A major health and social problem. *Reumatologia*, 54(4), 196–200. <https://doi.org/10.5114/reum.2016.62474>

- Rakhshani, A., Nagarathna, R., Mhaskar, R., Mhaskar, A., Thomas, A., & Gunasheela, S. (2012). The effects of yoga in prevention of pregnancy complications in high-risk pregnancies: a randomized controlled trial. *Preventive Medicine*, 55(4), 333–340. <https://doi.org/10.1016/j.ypmed.2012.07.020>
- Ramaratnam, S., & Sridharan, K. (2000). Yoga for epilepsy. *The Cochrane Database of Systematic Reviews*, (3), CD001524. <https://doi.org/10.1002/14651858.CD001524>
- Rani, K., Tiwari, S., Singh, U., Agrawal, G., Ghildiyal, A., & Srivastava, N. (2011). Impact of Yoga Nidra on psychological general wellbeing in patients with menstrual irregularities: A randomized controlled trial. *International Journal of Yoga*, 4(1), 20–25. <https://doi.org/10.4103/0973-6131.78176>
- Rogers, K. A., & MacDonald, M. (2015). Therapeutic Yoga: Symptom Management for Multiple Sclerosis. *Journal of Alternative and Complementary Medicine (New York, N.Y.)*, 21(11), 655–659. <https://doi.org/10.1089/acm.2015.0015>
- Roland, M., & Fairbank, J. (2000). The Roland-Morris Disability Questionnaire and the Oswestry Disability Questionnaire. *Spine*, 25(24), 3115–3124.
- Roland, M., & Morris, R. (1983). A study of the natural history of back pain. Part I: development of a reliable and sensitive measure of disability in low-back pain. *Spine*, 8(2), 141–144.
- Rasmussen, C. D. N., Holtermann, A., Jørgensen, M. B., Ørberg, A., Mortensen, O. S., & Søgaard, K. (2016). A multi-faceted workplace intervention targeting low back pain was effective for physical work demands and maladaptive pain behaviours, but not for work ability and sickness absence: Stepped wedge cluster randomised trial. *Scandinavian Journal of Public Health*, 44(6), 560–570. <https://doi.org/10.1177/1403494816653668>
- Sadeghian, F., Kasaeian, A., Noroozi, P., Vatani, J., & Hassan Taiebi, S. (2014). Psychosocial and Individual Characteristics and Musculoskeletal Complaints Among Clinical Laboratory Workers. *International Journal of Occupational Safety and Ergonomics*, 20(2), 355–361. <https://doi.org/10.1080/10803548.2014.11077049>
- Santaguida, P. L., Gross, A., Busse, J., Gagnier, J., Walker, K., Bhandari, M., & Raina, P. (2009). Complementary and alternative medicine in back pain utilization report. *Evidence Report/Technology Assessment*, (177), 1–221.

- Sathavane, G. V., Pandya, D. H., & Baghel, M. S. (2015). Effect of Vatari Guggulu in the management of Gridhrasi (sciatica). *Ayu*, 36(1), 41–45. <https://doi.org/10.4103/0974-8520.169019>
- Schaller, A., Dejonghe, L., Haastert, B., & Froboese, I. (2015). Physical activity and health-related quality of life in chronic low back pain patients: a cross-sectional study. *BMC Musculoskeletal Disorders*, 16, 62. <https://doi.org/10.1186/s12891-015-0527-0>
- Schiphorst Preuper, H. R., Reneman, M. F., Boonstra, A. M., Dijkstra, P. U., Versteegen, G. J., Geertzen, J. H. B., & Brouwer, S. (2008). Relationship between psychological factors and performance-based and self-reported disability in chronic low back pain. *European Spine Journal: Official Publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*, 17(11), 1448–1456. <https://doi.org/10.1007/s00586-008-0772-0>
- Seo, D. Y., Lee, S., Figueroa, A., Kim, H. K., Baek, Y. H., Kwak, Y. S., ... Han, J. (2012). Yoga training improves metabolic parameters in obese boys. *The Korean Journal of Physiology & Pharmacology: Official Journal of the Korean Physiological Society and the Korean Society of Pharmacology*, 16(3), 175–180. <https://doi.org/10.4196/kjpp.2012.16.3.175>
- Sharma, S. C., Singh, R., Sharma, A. K., & Mittal, R. (2003). Incidence of low back pain in workage adults in rural North India. *Indian Journal of Medical Sciences*, 57(4), 145–147.
- Shastri H.(2007) Astangahridya. Varansi, UP: Chaukambha Sanskrit sansthan.
- Shastri L. (2010). Yogaratnakara, Varanasi, UP: Chakhambha Pratishthan.
- Shastri S (2000) Madhavnidana. Varanasi, UP: Chaukambha Sanskrit sansthan.
- Shemshaki, H., Nourian, S.-M. A., Fereidan-Esfahani, M., Mokhtari, M., & Etemadifar, M. R. (2013). What is the source of low back pain? *Journal of Craniovertebral Junction & Spine*, 4(1), 21–24. <https://doi.org/10.4103/0974-8237.121620>
- Sherman, K. J., Cherkin, D. C., Connelly, M. T., Erro, J., Savetsky, J. B., Davis, R. B., & Eisenberg, D. M. (2004). Complementary and alternative medical therapies for chronic low back pain: What treatments are patients willing to try? *BMC*

Complementary and Alternative Medicine, 4, 9. <https://doi.org/10.1186/1472-6882-4-9>

- Sherman, K. J., Cherkin, D. C., Cook, A. J., Hawkes, R. J., Deyo, R. A., Wellman, R., & Khalsa, P. S. (2010). Comparison of yoga versus stretching for chronic low back pain: protocol for the Yoga Exercise Self-care (YES) trial. *Trials*, 11, 36. <https://doi.org/10.1186/1745-6215-11-36>
- Sherman, K. J., Cherkin, D. C., Wellman, R. D., Cook, A. J., Hawkes, R. J., Delaney, K., & Deyo, R. A. (2011). A randomized trial comparing yoga, stretching, and a self-care book for chronic low back pain. *Archives of Internal Medicine*, 171(22), 2019–2026. <https://doi.org/10.1001/archinternmed.2011.524>
- Sherman, K. J., Wellman, R. D., Cook, A. J., Cherkin, D. C., & Ceballos, R. M. (2013). Mediators of yoga and stretching for chronic low back pain. *Evidence-Based Complementary and Alternative Medicine: eCAM*, 2013, 130818. <https://doi.org/10.1155/2013/130818>
- Shmagel, A., Foley, R., & Ibrahim, H. (2016). Epidemiology of Chronic Low Back Pain in US Adults: Data From the 2009-2010 National Health and Nutrition Examination Survey. *Arthritis Care & Research*, 68(11), 1688–1694. <https://doi.org/10.1002/acr.22890>
- Sikiru, L., & Hanifa, S. (2010). Prevalence and risk factors of low back pain among nurses in a typical Nigerian hospital. *African Health Sciences*, 10(1), 26–30.
- Skela-Savič, B., Pesjak, K., & Hvalič-Touzery, S. (2017). Low back pain among nurses in Slovenian hospitals: cross-sectional study. *International Nursing Review*, 64(4), 544–551. <https://doi.org/10.1111/inr.12376>
- Skevington, S. M., Lotfy, M., O'Connell, K. A., & WHOQOL Group. (2004). The World Health Organization's WHOQOL-BREF quality of life assessment: psychometric properties and results of the international field trial. A report from the WHOQOL group. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 13(2), 299–310. <https://doi.org/10.1023/B:QURE.0000018486.91360.00>
- Smart, K. M., Blake, C., Staines, A., Thacker, M., & Doody, C. (2012). Mechanisms-based classifications of musculoskeletal pain: part 1 of 3: symptoms and signs of central sensitisation in patients with low back (\pm leg) pain. *Manual Therapy*, 17(4), 336–344. <https://doi.org/10.1016/j.math.2012.03.013>

- Smith, B. E., Littlewood, C., & May, S. (2014). An update of stabilisation exercises for low back pain: a systematic review with meta-analysis. *BMC Musculoskeletal Disorders*, 15, 416. <https://doi.org/10.1186/1471-2474-15-416>
- Tekur, P., Chametcha, S., Hongasandra, R. N., & Raghuram, N. (2010). Effect of yoga on quality of life of CLBP patients: A randomized control study. *International Journal of Yoga*, 3(1), 10–17. <https://doi.org/10.4103/0973-6131.66773>
- Tekur, P., Nagarathna, R., Chametcha, S., Hankey, A., & Nagendra, H. R. (2012). A comprehensive yoga programs improves pain, anxiety and depression in chronic low back pain patients more than exercise: an RCT. *Complementary Therapies in Medicine*, 20(3), 107–118. <https://doi.org/10.1016/j.ctim.2011.12.009>
- Tekur, P., Singphow, C., Nagendra, H. R., & Raghuram, N. (2008). Effect of short-term intensive yoga program on pain, functional disability and spinal flexibility in chronic low back pain: a randomized control study. *Journal of Alternative and Complementary Medicine (New York, N.Y.)*, 14(6), 637–644. <https://doi.org/10.1089/acm.2007.0815>
- Telles, S., Naveen, K. V., Gaur, V., & Balkrishna, A. (2011). Effect of one week of yoga on function and severity in rheumatoid arthritis. *BMC Research Notes*, 4, 118. <https://doi.org/10.1186/1756-0500-4-118>
- Tilbrook, H. E., Cox, H., Hewitt, C. E., Kang'ombe, A. R., Chuang, L.-H., Jayakody, S., ... Torgerson, D. J. (2011). Yoga for chronic low back pain: a randomized trial. *Annals of Internal Medicine*, 155(9), 569–578. <https://doi.org/10.7326/0003-4819-155-9-201111010-00003>
- Tripathi B. (2009). Ashtanga Hridayam, Varanasi, UP: Chakhabha Sanskrit Pratishtan.
- Tripathi H. (2005) Harita Samhita. Varanasi, UP: Chaukhambha Academy.
- Truchon, M. (2001). Determinants of chronic disability related to low back pain: towards an integrative biopsychosocial model. *Disability and Rehabilitation*, 23(17), 758–767.
- Tsuji, T., Matsudaira, K., Sato, H., & Vietri, J. (2016). The impact of depression among chronic low back pain patients in Japan. *BMC Musculoskeletal Disorders*, 17(1), 447. <https://doi.org/10.1186/s12891-016-1304-4>
- van Middelkoop, M., Rubinstein, S. M., Kuijpers, T., Verhagen, A. P., Ostelo, R., Koes, B. W., & van Tulder, M. W. (2011). A systematic review on the effectiveness

of physical and rehabilitation interventions for chronic non-specific low back pain. *European Spine Journal: Official Publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*, 20(1), 19–39. <https://doi.org/10.1007/s00586-010-1518-3>

- Verbunt, J. A., Seelen, H. A., Vlaeyen, J. W., Bousema, E. J., van der Heijden, G. J., Heuts, P. H., & Knottnerus, J. A. (2005). Pain-related factors contributing to muscle inhibition in patients with chronic low back pain: an experimental investigation based on superimposed electrical stimulation. *The Clinical Journal of Pain*, 21(3), 232–240.
- Vlaeyen, J. W., Kole-Snijders, A. M., Boeren, R. G., & van Eek, H. (1995). Fear of movement/(re)injury in chronic low back pain and its relation to behavioral performance. *Pain*, 62(3), 363–372.
- Vlaeyen, J. W., Kole-Snijders, A. M., Rotteveel, A. M., Ruesink, R., & Heuts, P. H. (1995). The role of fear of movement/(re)injury in pain disability. *Journal of Occupational Rehabilitation*, 5(4), 235–252. <https://doi.org/10.1007/BF02109988>
- Waddell, G., & Burton, A. K. (2001). Occupational health guidelines for the management of low back pain at work: evidence review. *Occupational Medicine (Oxford, England)*, 51(2), 124–135.
- Waddell, G., Main, C. J., Morris, E. W., Di Paola, M., & Gray, I. C. (1984). Chronic low-back pain, psychologic distress, and illness behavior. *Spine*, 9(2), 209–213.
- Waddell, G., Newton, M., Henderson, I., Somerville, D., & Main, C. J. (1993). A Fear-Avoidance Beliefs Questionnaire (FABQ) and the role of fear-avoidance beliefs in chronic low back pain and disability. *Pain*, 52(2), 157–168.
- Wahbeh, H., Elsas, S.-M., & Oken, B. S. (2008). Mind-body interventions: applications in neurology. *Neurology*, 70(24), 2321–2328. <https://doi.org/10.1212/01.wnl.0000314667.16386.5e>
- Wáng, Y. X. J., Wáng, J.-Q., & Káplár, Z. (2016). Increased low back pain prevalence in females than in males after menopause age: evidences based on synthetic literature review. *Quantitative Imaging in Medicine and Surgery*, 6(2), 199–206. <https://doi.org/10.21037/qims.2016.04.06>
- WHOQOL Group. (1998). Development of the World Health Organization WHOQOL-BREF quality of life assessment. The WHOQOL Group. *Psychological Medicine*, 28(3), 551–558.

- Williams, K., Abildso, C., Steinberg, L., Doyle, E., Epstein, B., Smith, D., ... Cooper, L. (2009). Evaluation of the effectiveness and efficacy of Iyengar yoga therapy on chronic low back pain. *Spine*, 34(19), 2066–2076. <https://doi.org/10.1097/BRS.0b013e3181b315c>
- Williams, K. A., Petronis, J., Smith, D., Goodrich, D., Wu, J., Ravi, N., ... Steinberg, L. (2005). Effect of Iyengar yoga therapy for chronic low back pain. *Pain*, 115(1-2), 107–117. <https://doi.org/10.1016/j.pain.2005.02.016>
- Winter, E. M., & Fowler, N. (2009). Exercise defined and quantified according to the Systeme International d'Unites. *Journal of Sports Sciences*, 27(5), 447–460. <https://doi.org/10.1080/02640410802658461>
- Wynne-Jones, G., Cowen, J., Jordan, J. L., Uthman, O., Main, C. J., Glozier, N., & van der Windt, D. (2014). Absence from work and return to work in people with back pain: a systematic review and meta-analysis. *Occupational and Environmental Medicine*, 71(6), 448–456. <https://doi.org/10.1136/oemed-2013-101571>
- Xue, C. C. L., Zhang, A. L., Holroyd, E., & Suen, L. K. P. (2008). Personal use and professional recommendations of complementary and alternative medicine by Hong Kong registered nurses. *Hong Kong Medical Journal = Xianggang Yi Xue Za Zhi*, 14(2), 110–115.
- Yadavaji T.(2009) Charaka Samhita. Varanasi, UP: Chaukhamba Orientalia.
- Yadavaji T.(2013) Charaka Samhita. Varanasi, UP: Chaukhamba Orientalia.
- Yadavaji T. (2012) Sushruta Samhita. Varanasi, UP: Chakhambha Prakashan.
- Yadavji T. (2013). Charaka Samhita, Varanasi, UP: Chakhambha Surabharati Prakashan
- Yadavji T. (2012). Sushruta Samhita, Varanasi, UP: Chakhambha Surabharati Prakashan.
- Yip, V. Y. B. (2004). New low back pain in nurses: work activities, work stress and sedentary lifestyle. *Journal of Advanced Nursing*, 46(4), 430–440. <https://doi.org/10.1111/j.1365-2648.2004.03009.x>
- Zollman, C., & Vickers, A. (1999). What is complementary medicine? *BMJ (Clinical Research Ed.)*, 319(7211), 693–696.